L Number	Hits	Search Text	DB	Time stamp
5	415	((resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9)) and ((select$3 or specify$3 or identif$5 or determin$3 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or desir$5) with (propert$3 or character$9 or condition$5)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 20:26
16	858	(((resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9)) same ((select$3 or specify$3 or choos$5 or allocat$5) with (resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9) with (match$3 or meet or desir$3 or required or requirement$2))) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 19:20
17	34	((resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9)) and ((select$3 or specify$3 or choos$5 or allocat$5) with (resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9) with (match$3 or meet or desir$3 or required or requirement$2)).ab. and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 18:54
18	202	((select$3 or specify$3 or choos$5 or allocat$5) with (resource or storage or memory or (hard adj (drive$3 or disk$2)))).ab. and (((resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9)) same ((select$3 or specify$3 or choos$5 or allocat$5) with (resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9) with (match$3 or meet or desir$3 or required or requirement$2))) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 18:58
20	109	(((resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9)) same ((select$3 or specify$3 or choos$5 or allocat$5) with (resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9) with (match$3 or meet or desir$3 or required or requirement$2))) and expression$3 and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 19:04
26	4	((resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9)) and ((select$3 or specify$3 or choos$5 or allocat$5) with (resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9) with (match$3 or meet or desir$3 or required or requirement$2)) and ((select$3 or specify$3 or choos$5 or search$3) same (("and" or "or") with (both or all) with (propert$5 or character$9 or requirement$2))) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 20:00
32	234	((resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9)) and (search$3 with (resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9) with (match$3 or meet or desir$3 or required or requirement$2)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 19:59

35	28	(allocat$3 with (resource or storage or memory or (hard adj (drive$3 or disk$2)))) and ((resource or storage or memory or (hard adj (drive$3 or disk$2))) with (propert$5 or character$9)) and (search$3 with (resource or storage or memory or (hard adj (drive$3 or disk$2)))) with (propert$5 or character$9) with (match$3 or meet or desir$3 or required or requirement$2)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 20:26
37	49	(search$3 same (logical adj expression)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 20:27
-	1	"20030018656"	USPAT; US-PGPUB; IBM_TDB	2004/02/03 17:00
-	56	(storage adj2 administrator) and ((resource or storage or memory) with (allocat$5 or request$5)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:22
-	24	((resource or storage or memory) with (allocat$5 or request$5)).ab. and ((resource or storage or memory) with (propert$3 or character$9)) and ((select$3 or specify$3 or identif$5 or determin$3 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or desir$5) with (propert$3 or character$9 or condition$5)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 18:17
-	16	(request$3 same (resource or storage or memory) with allocat$5) and ((resource or storage or memory) with (propert$3 or character$9)) and ((select$3 or specify$3 or identif$5 or determin$3 or choos$5 or pick$3 or match$3) with (resource or storage or memory) with (requirement$2 or desir$5) with (propert$3 or character$9 or condition$5)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/05/28 18:30
-	1	5018060.pn.	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:25
-	68	((user or client or administrator) with (select$3 or specify$3 or identif$5 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or preference$3 or character$9)) and ((resource or storage or memory) with (propert$3 or character$9)) and ((resource or storage or memory) with (allocat$5 or request$5)).ab. and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:49
-	31	((user or client or administrator) with (select$3 or specify$3 or identif$5 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or preference$3 or character$9)) and ((provid$3 or receiv$3) with (resource or storage or memory) with (propert$3 or character$9 or condition$5 or function$5)) and ((resource or storage or memory) with (allocat$5 or request$5)).ab. and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 08:51

-	75	((user or client or administrator) with (select$3 or specify$3 or identif$5 or choos$5 or pick$3) with (resource or storage or memory) with (requirement$2 or preference$3 or character$9)) and ((provid$3 or receiv$3) with (resource or storage or memory) with (propert$3 or character$9 or condition$5 or function$5)) and ((resource or storage or memory) with (allocat$5 or request$5)) and (@ad<20010719) and (707/$.ccls. or 711/$.ccls. or 709/$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/08/23 10:07
-	7	4104718.pn. or 4403288.pn. or 4467421.pn. or 4638425.pn. or 4607346.pn. or 4528624.pn. or 5018060.pn.	USPAT; US-PGPUB; IBM_TDB	2004/02/04 13:51
-	119	(((request$3 or allocat$3) with (resource$2 or space$2 or disk$2 or memor$3)) with expression) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/02/04 13:53
-	26	(((request$3 or allocat$3) with (resource$2 or space$2 or disk$2 or storage$2 or memor$3)) same ((generat$3 or build$3 or built$3) with expression)) and ((resource$2 or space$2 or disk$2 or storage or memory) with (propert$3 or character$9)) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/02/04 21:45
-	29	(((request$3 or allocat$3) with (resource$2 or space$2 or disk$2 or storage$2 or memor$3)) same expression$2) and ((resource$2 or space$2 or disk$2 or storage or memory) with (propert$3 or character$9) with expression$2) and (@ad<20010719)	USPAT; US-PGPUB; IBM_TDB	2004/02/04 21:45